


AJ Floor

Project name:

Project type:

Notes:



Design

Arne Jacobsen

Product description

Terse and iconic design
 A semi-conical fixture head.
 An arm fixed to a round mounting box holds the fixture head.
 Fixture head pivots to direct light as needed.
 Different colour variants.
 Is a member of a product family for both outdoor and indoor

Variant options

| Color | Cable type | Light source | Voltage frequency |
|--|--|--|---|
| <ul style="list-style-type: none"> <input type="radio"/> Aubergine <input type="radio"/> Black <input type="radio"/> Dark green <input type="radio"/> Dark grey <input type="radio"/> Light grey <input type="radio"/> Midnight blue <input type="radio"/> Pale petroleum <input type="radio"/> Rusty red <input type="radio"/> Stainless steel polished <input type="radio"/> White <input type="radio"/> Yellow ochre | <ul style="list-style-type: none"> <input type="checkbox"/> Blk <input type="checkbox"/> Wht | <ul style="list-style-type: none"> <input type="checkbox"/> 1x15W A-19/medium <input type="checkbox"/> 1x15W E26 | <ul style="list-style-type: none"> <input type="checkbox"/> - <input type="checkbox"/> 120V |

Light description

The fixture emits glare free, directed light.
 Combined direct and indirect light ensures directed light with soft shadows
 The shade is painted white on the inside to ensure a soft comfortable light distribution.

Mounting

Portable fixture plugs into standard wall outlet.

Information

The white version is supplied with a white cable. The other versions are supplied with a black cable.


Voltage

120V


Light distribution diagrams

For the full data set on all variants, see louispuolsen.com.


Cartesian



Isolux



Polar



Material

Fixture head and wall box: spun steel, 1.5mm (0.06") thick, wet painted.
 Arm: extruded steel, 1.5mm (0.06") thick, wet painted.
 Base: cast zinc plated steel, 1.5mm (0.06") thick.
 Switch: on/off, phenolic, on cord.
 Socket: Porcelain, medium base for A-19, frosted envelope lamps.












Weight

Min: 7.524 lbs Max: 7.99 lbs

Finish

Aubergine, Black, Dark green, Dark grey, Light grey, Midnight blue, Pale petroleum, Rusty red, Stainless steel polished, White, Yellow ochre

Variant options

| Color | Cable type | Light source | Voltage frequency | Variant number |
|--|------------|-------------------|-------------------|----------------|
|  Black | Blk | 1x15W E26 | - | 5744905929 |
|  Stainless steel polished | Blk | 1x15W A-19/medium | 120V | 5744915113 |
|  Light grey | Blk | 1x15W E26 | - | 5744905932 |
|  Yellow ochre | Blk | 1x15W E26 | - | 5744905945 |
|  Rusty red | Blk | 1x15W E26 | - | 5744905958 |
|  Midnight blue | Blk | 1x15W E26 | - | 5744905961 |
|  Aubergine | Blk | 1x15W E26 | - | 5744905974 |
|  Dark grey | Blk | 1x15W E26 | - | 5744905987 |
|  Dark green | Blk | 1x15W E26 | - | 5744905990 |
|  Pale petroleum | Blk | 1x15W E26 | - | 5744906009 |
|  White | Wht | 1x15W E26 | - | 5744905916 |